




SIDE VIEW

NOTES:

1. SEE THE I.F.A.I. STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

- AURORA TENT**
 57' x 57' (2) PC. TENT - 2,552 SQ. FT.
 • (2) END PCS
 • (18) SIDE POLES
 • (1) QUEEN CENTER POLE
 • (24) 2" WEB GUYS
 • (72) 42" DOUBLE HEAD STAKES
 • (20) 2'-0" STAKE BARS
 • (2) 4'-0" STAKE BARS

3D VIEW

END VIEW

REV	EC	DATE	BY

REVISION HISTORY	APPROVED BY	DATE	BY

ANCHOR INDUSTRIES INC.
 BROCHURE DRAWING - NON-CERTIFIED TENT
 57' x 57' AURORA TENT - (1) QUEEN POLE


Caution:
 Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.

ITEM DESCRIPTION


ITEM NO.

57' x 57' AURORA TENT - (1) QUEEN POLE


19-343-1-0




PLAN VIEW



SIDE VIEW



END VIEW



3D VIEW

NOTES:


1. SEE THE I.F.A.I. STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

- AURORA TENT
- 57' x 77' (3) PC. TENT - 3,704 SQ. FT.
 - (2) END PCS
 - (1) 20' QUEEN MID
 - (22) SIDE POLES
 - (2) QUEEN CENTER POLES
 - (30) 2" WEB GUYS
 - (90) 42" DOUBLE HEAD STAKES
 - (22) 2'-0" STAKE BARS
 - (4) 4'-0" STAKE BARS


REV	EC	DATE	BY

ITEM DESCRIPTION	ITEM NO.
ANCHOR INDUSTRIES, INC.	
BROCHURE DRAWING - NON-CERTIFIED TENT	
57' x 77' AURORA TENT - (2) QUEEN POLES	
DATE	DRAWING NO.
7/10/2019	19-343-1-1

Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.




PLAN VIEW




SIDE VIEW

3D VIEW



END VIEW



NOTES:
1. SEE THE I.F.A.I. STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

- AURORA TENT
57' x 97' (4) PC. TENT - 4,856 SQ. FT.
• (2) END PCS
• (2) 20' QUEEN MIDS
• (26) SIDE POLES
• (3) QUEEN CENTER POLES
• (36) 2" WEB GUYS
• (108) 42" DOUBLE HEAD STAKES
• (24) 2'-0" STAKE BARS
• (6) 4'-0" STAKE BARS

REV	EC	DATE	BY

APPROVED BY	DATE	BY
DMK	7/10/2019	DMK


ANCHOR INDUSTRIES INC.
BROCHURE DRAWING - NON CERTIFIED TENT
57' x 97' AURORA TENT (3) QUEEN POLES
19-343-1-2

Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.


Caution: Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IPFI methodologies to determine site specific anchoring requirements.

1. SEE THE I.F.A.I. STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.


SIDE VIEW




PLAN VIEW



END VIEW



3D VIEW







Caution: Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.

- 57' x 117' (5) PC, TENT - 6,007 SQ. FT.
- (2) END PCS
- (1) 20" KING MID
- (2) 20" QUEEN/KING MIDS
- (30) SIDE POLES
- (2) QUEEN CENTER POLES
- (2) KING CENTER POLES
- (42) 2" WEB GUYS
- (126) 42" DOUBLE HEAD STAKES
- (26) 2'-0" STAKE BARS
- (8) 4'-0" STAKE BARS

REV	EC	DATE	BY

REVISION HISTORY

ITEM DESCRIPTION		ITEM NO.
ANCHOR INDUSTRIES INC. Brochure for the Queen Pole and King Pole tents. The Queen Pole tent is 57'-7" x 116'-9" and the King Pole tent is 70'-0" x 116'-9". Both tents are made of 600 denier polyester and have a 10' x 10' x 10' canopy. The Queen Pole tent has a 10' x 10' x 10' canopy and the King Pole tent has a 10' x 10' x 10' canopy. The Queen Pole tent has a 10' x 10' x 10' canopy and the King Pole tent has a 10' x 10' x 10' canopy.		
APPROVED BY	DMK	DRAWING NO.
APPROVED BY	CP	DATE
		6/28/2019
		19-343-14



NOTES:

- SEE THE IFAI STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

- AURORA TENT
57' x 137' (6) PC. TENT - 7,129 SQ. FT.
- (2) END PCS
 - (4) 20' QUEEN MIDS
 - (34) SIDE POLES
 - (5) QUEEN CENTER POLES
 - (48) 2" WEB GUYS
 - (144) 42" DOUBLE HEAD STAKES
 - (28) 2'-0" STAKE BARS
 - (10) 4'-0" STAKE BARS

REV	EC	DATE	BY

REVISION HISTORY	DATE	BY


ITEM NO.	ITEM DESCRIPTION

BROCHURE DRAWING - NON-CERTIFIED TENT

57' x 137' AURORA TENT - (5) QUEEN POLES


APPROVED BY	DATE	DRAWING NO.
DMK	7/11/2019	19-343-1-5

Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.




PLAN VIEW

DISTANCE OUT IS 1'-0\"/>




END VIEW



SIDE VIEW

3D VIEW



NOTES:
1. SEE THE I.F.A.I. STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.





- AURORA TENT**
57 x 137 (6) PC. TENT - 7,129 SQ. FT.
- (2) END PCS
 - (2) 20' QUEEN MIDS
 - (2) 20' QUEENKING MIDS
 - (34) SIDE POLES
 - (4) QUEEN CENTER POLES
 - (1) KING CENTER POLE
 - (48) 2\"/>

REV	EC	DATE	BY

ITEM NO.	ITEM DESCRIPTION
1	57 x 137 AURORA TENT (4) QUEEN POLES, (1) KING POLE

Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.

ANCHOR INDUSTRIES INC.	BROCHURE DRAWING - NON-CERTIFIED TENT
57 x 137 AURORA TENT (4) QUEEN POLES, (1) KING POLE	19-343-1-6



NOTES:

1. SEE THE IFAI STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

- AURORA TENT
- 57' x 137' (6) PC. TENT - 7,129 SQ. FT.
 - (2) END PCS
 - (2) 20' KING MIDS
 - (2) 20' QUEEN/KING MIDS
 - (34) SIDE POLES
 - (2) QUEEN CENTER POLES
 - (3) KING CENTER POLES
 - (48) 2" WEB GUYS
 - (144) 42" DOUBLE HEAD STAKES
 - (28) 2'-0" STAKE BARS
 - (10) 4'-0" STAKE BARS

REV	EC	DATE	BY

REVISION HISTORY	DATE	BY

ANCHOR INDUSTRIES INC.





57' x 137' AURORA TENT (2) QUEEN POLES, (3) KING POLES

BROCHURE DRAWING - NON-CERTIFIED TENT

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.

19-343-1-7



NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

- AURORA TENT
- 57' x 157' (7) PC. TENT - 8,273 SQ. FT.
 - (2) END PCS
 - (6) 20' QUEEN MIDS
 - (38) SIDE POLES
 - (6) QUEEN CENTER POLES
 - (54) 2" WEB GUYS
 - (162) 42" DOUBLE HEAD STAKES
 - (30) 2'-0" STAKE BARS
 - (12) 4'-0" STAKE BARS

REV	EC	DATE	BY

REVISION HISTORY	DATE	BY




BROCHURE DRAWING - NON-CERTIFIED TENT


57' x 157' AURORA TENT (6) QUEEN POLES

ITEM NO.	ITEM DESCRIPTION


Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.



PLAN VIEW




END VIEW



SIDE VIEW

3D VIEW



NOTES:

1. SEE THE I.F.A.I. STAKING GUIDE ON THEIR WEBSITE (WWW.IFAI.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

- AURORA TENT
57' x 157' (7) PC. TENT - 8,273 SQ. FT.
- (2) END PCS
 - (2) 20' QUEEN MIDS
 - (2) 20' QUEEN/KING MIDS
 - (1) 20' KING MID
 - (38) SIDE POLES
 - (4) QUEEN CENTER POLES
 - (2) KING CENTER POLES
 - (54) 2\" WEB GUYS
 - (162) 42\" DOUBLE HEAD STAKES
 - (30) 2-0\" STAKE BARS
 - (12) 4-0\" STAKE BARS

REV	EC	DATE	BY

REVISION HISTORY	DESCRIPTION

ITEM DESCRIPTION	ITEM NO.
57' x 157' AURORA TENT (4) QUEEN POLES, (2) KING POLES	

ANCHOR INDUSTRIES INC.	
BROCHURE DRAWING - NON-CERTIFIED TENT	
57' x 157' AURORA TENT (4) QUEEN POLES, (2) KING POLES	
DRAWN BY: DNMK	
CHECKED BY: KJ	
DATE: 7/15/2019	
DRAWING NO: 19-343-1-9	

Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.

