

NOTES:

1. SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.

2. CENTER POLES MAY BE:

2.1. 4" SCHD. 40 ALUM. PIPE (NON-WELDED)

3. SIDE POLES MAY BE:

3.1. 2" SCHD. 40 ALUM. PIPE (NON-WELDED)

3.2. 3" FLUTED EXTRUSION

3.3. 3" FLUTED KEDAR TRACK EXTRUSION

AURORA TENT

59' x 39' (2) PC. TENT - 1,892 SQ. FT.

(2) END PCS

(16) SIDE POLES\*

(2) QUEEN CENTER POLES\*

(10) AURORA SINGLE YOKE WEB GUYS W/RAT.

(12) 2" WEB GUYS WITH CENTURY WINCHES

(46) 42" DOUBLE HEAD STAKES

(8) 2'-0" STAKE BARS

(2) 4'-0" STAKE BARS

\* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. Do not use this drawing to determine staking requirements. Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.

ANCHOR

INDUSTRIES INC.

All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

59' x 39' AURORA TENT-(2) QUEEN POLES

DRAWN BY: DMK

CHECKED BY:

DRAWING NO. 16-271-1





APPROVED BY:

EC#

DATE: 05/23/2016

REVISION HISTORY

REV	EC	DATE	BY



## NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT**  
59' x 59' (3) PC. TENT - 3,065 SQ. FT.
- (2) END PCS
  - (1) 20' QUEEN/QUEEN MID
  - (20) SIDE POLES\*
  - (4) QUEEN CENTER POLES\*
  - (12) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (16) 2" WEB GUYS WITH CENTURY WINCHES
  - (84) 42" DOUBLE HEAD STAKES
  - (20) 2'-0" STAKE BARS
  - (4) 4'-0" STAKE BARS

\* SEE NOTES

## Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.







All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

## BROCHURE DRAWING - NON-CERTIFIED TENT

59' x 59' AURORA TENT- (4) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/23/2016
				16-271-2



## NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT  
59' x 79' (4) PC. TENT - 4,238 SQ. FT.
- (2) END PCS
  - (2) 20' QUEEN/QUEEN MIDS
  - (24) SIDE POLES\*
  - (6) QUEEN CENTER POLES\*
  - (14) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (20) 2" WEB GUYS WITH CENTURY WINCHES
  - (102) 42" DOUBLE HEAD STAKES
  - (22) 2'-0" STAKE BARS
  - (6) 4'-0" STAKE BARS

\* SEE NOTES

## Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.






All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

## BROCHURE DRAWING - NON-CERTIFIED TENT

59' x 79' AURORA TENT- (6) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	16-271-3
			05/23/2016	



#### NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT**  
59' x 79' (4) PC. TENT - 4,238 SQ. FT.
- (2) END PCS
  - (2) 20' QUEEN/KING MIDS
  - (24) SIDE POLES\*
  - (4) QUEEN CENTER POLES\*
  - (2) KING CENTER POLES\*
  - (14) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (20) 2" WEB GUYS WITH CENTURY WINCHES
  - (102) 42" DOUBLE HEAD STAKES
  - (22) 2'-0" STAKE BARS
  - (6) 4'-0" STAKE BARS

\* SEE NOTES

#### Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.




All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

#### BROCHURE DRAWING - NON-CERTIFIED TENT

59' x 79' AURORA TENT- (4) QUEEN POLES, (2) KING POLES

REV	EC	DATE	BY
REVISION HISTORY			


DRAWN BY: DMK	CHECKED BY:	DRAWING NO. 16-271-4
APPROVED BY:	EC#	DATE: 5/23/2016



PLAN VIEW


(2) 2" WEB GUYS WITH (1)  
4' STAKE BAR & 6  
STAKES, (2) CENTURY  
WINCHES (TYP.)

(1) AURORA SINGLE YOKE WEB  
GUY & RATCHET WITH (1)  
STAKE, (TYP.)




SIDE VIEW

QUEEN POLE  
(TYP.)



END VIEW



3D VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT  
59' x 99' (5) PC. TENT - 5,410 SQ. FT.
- (2) END PCS
  - (3) 20' QUEEN/QUEEN MIDS
  - (28) SIDE POLES\*
  - (8) QUEEN CENTER POLES\*
  - (16) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (24) 2" WEB GUYS WITH CENTURY WINCHES
  - (88) 42" DOUBLE HEAD STAKES
  - (8) 2'-0" STAKE BARS
  - (8) 4'-0" STAKE BARS

\* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.



All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT





59' x 99' AURORA TENT- (8) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	16-271-5
			5/23/2016	



J:\Brochure Drawings\AURORA\_5916-271\_59NC.dwg, 5/31/2016 3:49:45 PM, Adobe PDF



## NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT  
59' x 99' (5) PC. TENT - 5,410 SQ. FT.
- (2) END PCS
  - (2) 20' QUEEN/KING MIDS
  - (1) 20' KING/KING MID
  - (28) SIDE POLES\*
  - (4) QUEEN CENTER POLES\*
  - (4) KING CENTER POLES\*
  - (16) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (24) 2" WEB GUYS WITH CENTURY WINCHES
  - (88) 42" DOUBLE HEAD STAKES
  - (8) 2'-0" STAKE BARS
  - (8) 4'-0" STAKE BARS

\* SEE NOTES

## Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.





All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

## BROCHURE DRAWING - NON-CERTIFIED TENT

59' x 99' AURORA TENT- (4) QUEEN POLES, (4) KING POLES

REV	EC	DATE	BY
REVISION HISTORY			
DRAWN BY: DMK		CHECKED BY:	DRAWING NO.
APPROVED BY:		EC#	DATE: 5/23/2016
			16-271-6





#### NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT**  
59' x 119' (6) PC. TENT - 6,583 SQ. FT.
- (2) END PCS
  - (2) 20' QUEEN/KING MIDS
  - (1) 20' KING/KING MID
  - (1) 20' QUEEN/QUEEN MID
  - (32) SIDE POLES\*
  - (6) QUEEN CENTER POLES\*
  - (4) KING CENTER POLE\*
  - (18) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (28) 2" WEB GUYS WITH CENTURY WINCHES
  - (102) 42" DOUBLE HEAD STAKES
  - (8) 2'-0" STAKE BARS
  - (10) 4'-0" STAKE BARS

\* SEE NOTES



#### Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.




All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

#### BROCHURE DRAWING - NON-CERTIFIED TENT


59' x 119' AURORA TENT- (6) QUEEN POLES, (4) KING POLES

REV	EC	DATE	BY
REVISION HISTORY			


DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	16-271-7
			02/15/2016	




PLAN VIEW



SIDE VIEW



END VIEW



3D VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT  
59' x 119' (6) PC. TENT - 6,583 SQ. FT.
- (2) END PCS
  - (2) 20' QUEEN/KING MIDS
  - (2) 20' KING/KING MIDS
  - (32) SIDE POLES\*
  - (4) QUEEN CENTER POLES\*
  - (6) KING CENTER POLE\*
  - (18) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (28) 2" WEB GUYS WITH CENTURY WINCHES
  - (102) 42" DOUBLE HEAD STAKES
  - (8) 2'-0" STAKE BARS
  - (10) 4'-0" STAKE BARS

\* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.



All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT


59' x 119' AURORA TENT- (4) QUEEN POLES, (6) KING POLES

REV	EC	DATE	BY
REVISION HISTORY			


DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	16-271-8
			5/23/2016	




J:\Brochure Drawings\AURORA\_5916-271\_59NC.dwg, 5/31/2016 3:42:03 PM, Adobe PDF.pc3




PLAN VIEW



SIDE VIEW



END VIEW



3D VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT  
59' x 119' (6) PC. TENT - 6,583 SQ. FT.
- (2) END PCS
  - (4) 20' QUEEN/QUEEN MIDS
  - (32) SIDE POLES\*
  - (10) QUEEN CENTER POLES\*
  - (18) AURORA SINGLE YOKE WEB GUYS W/RAT
  - (28) 2" WEB GUYS WITH CENTURY WINCHES
  - (102) 42" DOUBLE HEAD STAKES
  - (8) 2'-0" STAKE BARS
  - (10) 4'-0" STAKE BARS

\* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.




All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT


59' x 119' AURORA TENT- (10) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			


DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/23/2016
				16-271-9




PLAN VIEW



SIDE VIEW



END VIEW



3D VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT  
59' x 139' (7) PC. TENT - 7,756 SQ. FT.
- (2) END PCS
  - (2) 20' QUEEN/KING MIDS
  - (3) 20' KING/KING MIDS
  - (36) SIDE POLES\*
  - (4) QUEEN CENTER POLES\*
  - (8) KING CENTER POLES\*
  - (20) AURORA SINGLE YOKE WEB GUYS W/RAT.
  - (32) 2" WEB GUYS WITH CENTURY WINCHES
  - (116) 42" DOUBLE HEAD STAKES
  - (8) 2'-0" STAKE BARS
  - (12) 4'-0" STAKE BARS

\* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.



All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.



BROCHURE DRAWING - NON-CERTIFIED TENT

59' x 139' AURORA TENT- (4) QUEEN POLES, (8) KING POLES


REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/23/2016
				16-271-10






END VIEW



3D VIEW



SIDE VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
  - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
  - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
  - 3" FLUTED EXTRUSION
  - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT  
59' x 139' (7) PC. TENT - 7,756 SQ. FT.
- (2) END PCS
  - (5) 20' QUEEN/QUEEN MIDS
  - (36) SIDE POLES\*
  - (12) QUEEN CENTER POLES\*
  - (20) AURORA SINGLE YOKE WEB GUYS W/RAT
  - (32) 2" WEB GUYS WITH CENTURY WINCHES
  - (116) 42" DOUBLE HEAD STAKES
  - (8) 2'-0" STAKE BARS
  - (12) 4'-0" STAKE BARS

\* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.



All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

59' x 139' AURORA TENT- (12) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/23/2016
				16-271-12