




PLAN VIEW



3D VIEW



SIDE VIEW



END VIEW

- NOTES:
- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
 - CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

AURORA TENT

32' x 31' (2) PC. TENT - 769 SQ. FT.

- (2) END PCS
- (10) SIDE POLES*
- (1) QUEEN CENTER POLE*
- (14) 2" WEB GUYS
- (34) 42" DOUBLE HEAD STAKES
- (10) 2'-0" STAKE BARS

* SEE NOTES


Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.

All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.


BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 31' AURORA TENT


DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.	
APPROVED BY:		EC#	DATE:	5/31/2016	16-184-1
REVISION HISTORY					




PLAN VIEW



3D VIEW



SIDE VIEW



END VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

AURORA TENT

32' x 51' (3) PC. TENT - 1,417 SQ. FT.

- (2) END PCS
- (1) 20' QUEEN/QUEEN MID
- (14) SIDE POLES*
- (2) QUEEN CENTER POLES*
- (22) 2" WEB GUYS
- (42) 42" DOUBLE HEAD STAKES
- (12) 2'-0" STAKE BARS

* SEE NOTES

Caution:
Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.





All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 51' AURORA TENT

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/31/2016
16-184-2				

REV	EC	DATE	BY
REVISION HISTORY			



NOTES:

1. SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
2. CENTER POLES MAY BE:
 - 2.1. 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
3. SIDE POLES MAY BE:
 - 3.1. 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3.2. 3" FLUTED EXTRUSION
 - 3.3. 3" FLUTED KEDAR TRACK EXTRUSION

AURORA TENT
32' x 71' (4) PC. TENT - 2,064 SQ. FT.

- (2) END PCS
- (2) 20' QUEEN/QUEEN MID
- (18) SIDE POLES*
- (3) QUEEN CENTER POLES *
- (22) 2" WEB GUYS
- (50) 42" DOUBLE HEAD STAKES
- (14) 2'-0" STAKE BARS

* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.




All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT


32' x 71' AURORA TENT - (3) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			


DRAWN BY: DMK		CHECKED BY:	DRAWING NO. 16-184-3
APPROVED BY:	EC#	DATE: 5/31/2016	




PLAN VIEW



3D VIEW



SIDE VIEW



END VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT
32' x 91' (5) PC. TENT - 2,711 SQ. FT.
- (2) END PCS
 - (3) 20' QUEEN MIDS
 - (22) SIDE POLES *
 - (4) QUEEN CENTER POLES *
 - (26) 2" WEB GUYS
 - (58) 42" DOUBLE HEAD STAKES
 - (16) 2'-0" STAKE BARS

* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.







All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 91' AURORA TENT - (4) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE: 5/31/2016	16-184-5



NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT
32' x 91' (5) PC. TENT - 2,711 SQ. FT.
- (2) END PCS
 - (2) 20' QUEEN/KING MIDS
 - (1) 20' KING MID
 - (22) SIDE POLES *
 - (2) QUEEN CENTER POLES *
 - (2) KING CENTER POLES *
 - (26) 2" WEB GUYS
 - (58) 42" DOUBLE HEAD STAKES
 - (16) 2'-0" STAKE BARS

* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.



All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.


BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 91' AURORA TENT - (2) QUEEN POLES, (2) KING POLES


REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY: DMK	CHECKED BY:	DRAWING NO. 16-184-6
APPROVED BY:	EC#	DATE: 5/31/2016


J:\Brochure Drawings\AURORA_32116-184-X_32_NC.dwg, 5/31/2016 10:30:51 AM, Adobe PDF




PLAN VIEW



3D VIEW



SIDE VIEW



END VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT
32' x 111' (6) PC. TENT - 3,358 SQ. FT.
- (2) END PCS
 - (4) 20' QUEEN MIDS
 - (26) SIDE POLES *
 - (5) QUEEN CENTER POLES *
 - (30) 2" WEB GUYS
 - (66) 42" DOUBLE HEAD STAKES
 - (18) 2'-0" STAKE BARS

* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.







All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 111' AURORA TENT - (5) QUEEN POLES

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/31/2016
				16-184-7



NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

AURORA TENT
32' x 111' (6) PC. TENT - 3,358 SQ. FT.

- (2) END PCS
- (2) 20' QUEEN MIDS
- (2) 20' QUEEN/KING MIDS
- (26) SIDE POLES *
- (4) QUEEN CENTER POLES *
- (1) KING CENTER POLE *
- (30) 2" WEB GUYS
- (66) 42" DOUBLE HEAD STAKES
- (18) 2'-0" STAKE BARS

* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.







All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 111' AURORA TENT - (4) QUEEN POLES, (1) KING POLE

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/31/2016
				16-184-8



NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT
- 32' x 111' (6) PC. TENT - 3,358 SQ. FT.
- (2) END PCS
 - (2) 20' QUEEN/KING MIDS
 - (2) 20' KING MIDS
 - (26) SIDE POLES *
 - (2) QUEEN CENTER POLES *
 - (3) KING CENTER POLE *
 - (30) 2" WEB GUYS
 - (66) 42" DOUBLE HEAD STAKES
 - (18) 2'-0" STAKE BARS

* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.






All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.


BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 111' AURORA TENT - (2) QUEEN POLES, (3) KING POLE


REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/31/2016
				16-184-9







PLAN VIEW



3D VIEW



SIDE VIEW



END VIEW

NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

AURORA TENT			
32' x 131' (7) PC. TENT - 4,005 SQ. FT.			
<ul style="list-style-type: none">(2) END PCS(2) 20' QUEEN MIDS(2) 20' QUEEN/KING MIDS(1) KING MID(30) SIDE POLES *(4) QUEEN CENTER POLES *(2) KING CENTER POLES*(34) 2" WEB GUYS(74) 42" DOUBLE HEAD STAKES(20) 2'-0" STAKE BARS			
* SEE NOTES			

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.







All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 131' AURORA TENT - (4) QUEEN POLES, (2) KING POLES

REV	EC	DATE	BY	DRAWN BY: DMK	CHECKED BY:	DRAWING NO.
REVISION HISTORY				APPROVED BY:	EC#	DATE: 5/31/2016
				16-184-11		



NOTES:

- SEE THE I.F.A.I. STAKING GUIDE ON OUR WEBSITE (WWW.ANCHORINC.COM) FOR SOIL IDENTIFICATION & PULL-OUT CAPACITY OF STAKES.
- CENTER POLES MAY BE:
 - 4" SCHD. 40 ALUM. PIPE (NON-WELDED)
- SIDE POLES MAY BE:
 - 2" SCHD. 40 ALUM. PIPE (NON-WELDED)
 - 3" FLUTED EXTRUSION
 - 3" FLUTED KEDAR TRACK EXTRUSION

- AURORA TENT
32' x 131' (7) PC. TENT - 4,005 SQ. FT.
- (2) END PCS
 - (2) 20' QUEEN/KING MIDS
 - (3) KING MIDS
 - (30) SIDE POLES *
 - (2) QUEEN CENTER POLES *
 - (4) KING CENTER POLES*
 - (34) 2" WEB GUYS
 - (74) 42" DOUBLE HEAD STAKES
 - (20) 2'-0" STAKE BARS

* SEE NOTES

Caution:

Staking or anchoring is the responsibility of the installer. Soil conditions will dictate the number of stakes or anchors required. **Do not use this drawing to determine staking requirements.** Contact Anchor for Engineering loading data that can be used in conjunction with IFAI methodologies to determine site specific anchoring requirements.



All data and information contained in or disclosed by this document is confidential and proprietary information of Anchor Industries, Inc. and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is held in confidence and in trust and will not be used, copied, reproduced in the whole or in part, nor its contents revealed in any manner to others except to meet the specific purpose for which it was delivered.

BROCHURE DRAWING - NON-CERTIFIED TENT

32' x 131' AURORA TENT - (2) QUEEN POLES, (4) KING POLES

REV	EC	DATE	BY
REVISION HISTORY			

DRAWN BY:	DMK	CHECKED BY:		DRAWING NO.
APPROVED BY:		EC#	DATE:	5/31/2016
				16-184-12